

[illegible]

CRANSTON



QTY	UNIT	DESCRIPTION	QTY	UNIT
REMOVE		ADJ ALTERNATE #1		
44-0104		CONC SIDEWALK, 4 IN	257	SY
ADJ			4	EA
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	2310	SY
REMOVE				
315-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	30	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	10	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	13	EA
419-0920		THICK COAT	350	LF
999-1050		INTEGRALLY COLORED HOT APPLIED SYNTHETIC ASPHALT (STRAINED ASPHALT WITH BRICK COLOR)	100	SY
900-0003		CLASS 4AY-1 CONCRETE	85	CY
REMOVE				
422-1113		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY
REMOVE				
30-5048		GR AGGR BASE CRS, 8 INCH, INCL. MALT	510	SY
422-1112		RECYCLED ASPH CONC 12.5 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	57	TN
419-0919		RECYCLED ASPH CONC 19 MM SUPERPAVE, GP 1 OR 2, INCL. BITUM MALT & H LIME	82	EA
ADJ				
419-0920		THICK COAT	510	SY
30-5048		GR AGGR BASE FOR PORTLAND CEMENT CONCRETE PAVING, 8 IN REINF CONC	510	SY
REMOVE				
900-0003		BRICK PAVING SIDEWALK, INCL. 6 IN 7 IN CONC AND 6 IN TK GR AGGR BASE	510	SY

[illegible]



Georgia 811
Utilities Protection Center, Inc.


DRAWN BY:	BMF
CHECKED BY:	RSD
APPROVED BY:	RSD
DATE:	11/14/2025
SCALE:	1" = 20'
JOB NO.	2024-0328
DRAWING NO.	1201

GRADING & DRAINAGE PLAN



REV #	DATE	DESCRIPTION
#1	1/8/26	ADDENDUM #1



CRANSTON



PLANT SCHEDULE		QTY	COMMON NAME	BOTANICAL NAME	SIZE	HT.	SPREAD
SYMBOL	PLANTING ACCESSORIES	48	Plant Surface Marking	Red Concrete	Butterfly Brand	10	2'
SYMBOL	CONCRETE REINFORCING	10	2'	2'	2'	2'	2'



ISSUED FOR BID - 11/14/2025



DRAWN BY:	BMR
CHECKED BY:	RSD
APPROVED BY:	RSD
DATE:	11/14/2025
SCALE:	1" = 20'
JOB NO.	2024-0328
PROGRAM NO.	L204







JONES ALLEY IMPROVEMENTS
PROJECT

LANDSCAPE PLAN

[illegible]

CRANSTON





ISSUED FOR BID - 11/14/2025

JONES ALLEY IMPROVEMENTS PROJECT	
CIVIL DETAILS	
DRAWN BY	MSD
CHECKED BY	MSD
APPROVED BY	MSD
DATE	11/14/2025
SCALE	AS SPECIFIED
JOB NO.	2024-0028
DRAWING NO.	1502

[illegible]

A circular professional engineer seal for the State of Georgia. The outer ring contains the text "DENNIS J. WELCH" at the top and "ENGINEER" at the bottom. The inner circle contains the text "REGISTERED" at the top, "NO. 23223" in the center, and "PROFESSIONAL" at the bottom.



CRANSTON

